

National and State Maternal and Child Health (MCH) Performance Measures and Health Status Indicators 2010

National MCH Performance Measures

- NPM #01: The percent of screen positive newborns who received timely follow up to definitive diagnosis and clinical management for condition(s) mandated by their State-sponsored newborn screening programs.
- NPM #02: The percent of children with special health care needs age 0 to 18 years whose families partner in decision making at all levels and are satisfied with the services they receive. (CSHCN survey)
- NPM #03: The percent of children with special health care needs age 0 to 18 who receive coordinated, ongoing, comprehensive care within a medical home. (CSHCN Survey)
- NPM #04: The percent of children with special health care needs age 0 to 18 whose families have adequate private and/or public insurance to pay for the services they need. (CSHCN Survey)
- NPM #05: Percent of children with special health care needs age 0 to 18 whose families report the community-based service systems are organized so they can use them easily. (CSHCN Survey)
- NPM #06: The percentage of youth with special health care needs who received the services necessary to make transitions to all aspects of adult life, including adult health care, work, and independence.
- NPM #07: Percent of 19 to 35 month olds who have received full schedule of age appropriate immunizations against Measles, Mumps, Rubella, Polio, Diphtheria, Tetanus, Pertussis, Haemophilus Influenza, and Hepatitis B.
- NPM #08: The rate of birth (per 1,000) for teenagers aged 15 through 17 years.
- NPM #09: Percent of third grade children who have received protective sealants on at least one permanent molar tooth.
- NPM #10: The rate of deaths to children aged 14 years and younger caused by motor vehicle crashes per 100,000 children.

- NPM #11: The percent of mothers who breastfeed their infants at 6 months of age.
- NPM #12: Percentage of newborns who have been screened for hearing before hospital discharge.
- NPM #13: Percent of children without health insurance.
- NPM #14: Percentage of children, ages 2 to 5 years, receiving WIC services with a Body Mass Index (BMI) at or above the 85th percentile.
- NPM #15: Percentage of women who smoke in the last three months of pregnancy.
- NPM #16: The rate (per 100,000) of suicide deaths among youths aged 15 through 19.
- NPM #17: Percent of very low birth weight infants delivered at facilities for high-risk deliveries and neonates.
- NPM #18: Percent of infants born to pregnant women receiving prenatal care beginning in the first trimester.

Montana State MCH Performance Measures

Performance Measures altered or added in 2010 are noted with an asterisk (*).

- SPM #1: The percent of children with cleft lip and/or palate receiving care in interdisciplinary clinics.*
- SPM #2: The percent of Medicaid clients 0 through 6 years of age who have had a dental screening during the year.*
- SPM #3: (Developmental) The number or percent of Medicaid clients who have an identified risk factor during a previous live birth (gestational diabetes, preterm birth, preconception obesity) and receive follow-up by primary care or public health providers.*
- SPM #4: The rate of death to children 0 through 17 years of age caused by unintentional injuries (per 100,000).*
- SPM #5: The percent of women who smoke during pregnancy.*
- SPM #6: The percent of children 19 – 35 months of age who have received the 4th immunization in the diphtheria, tetanus, and pertussis (DTaP) series.*
- SPM #7: The percent of children 19 – 35 months of age who have received an immunization against varicella.*

Health Status Indicators

- 1A. The percent of live births weighing less than 2,500 grams.
- 1B. The percent of live singleton births weighing less than 2,500 grams.
- 2A. The percent of live births weighing less than 1,500 grams.
- 2B. The percent of live singleton births weighing less than 1,500 grams.
- 3A. The death rate per 100,000 due to unintentional injuries among children aged 14 years and younger.
- 3B. The death rate per 100,000 for unintentional injuries among children aged 14 and younger due to motor vehicle crashes.
- 3C. The rate per 100,000 for unintentional injuries for youth aged 15 through 24 years old due to motor vehicle crashes.
- 4A. The rate per 100,000 of all non-fatal injuries among children aged 14 years and younger.
- 4B. The rate per 100,000 of non-fatal injuries due to motor vehicle crashes among children aged 14 years and younger.
- 4C. The rate per 100,000 of non-fatal injuries due to motor vehicle crashes among youth aged 15 through 24 years.
- 5A. The rate per 1,000 women aged 15 through 19 years with a reported case of chlamydia.
- 5B. The rate per 1,000 women aged 20 through 44 years with a reported case of chlamydia.